

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): An image processing device for displaying an image representing an object arranged in a virtual three-dimensional space, comprising:

light source position acquisition means for acquiring a light source position set in said virtual three-dimensional space;

viewpoint position and viewing direction acquisition means for acquiring a viewpoint position and a viewing direction set in said virtual three-dimensional space;

highlight position calculation means for calculating a position of an image representing a highlight appearing on a surface of said object based on said viewpoint position;

highlight intensity calculation means for calculating intensity of the highlight based on said light source position and said viewing direction;

semitransparent composition means for performing semitransparent composition of said image representing the highlight onto said image representing said object based on the position calculated by the highlight position calculation means and a semitransparent composition rate corresponding to the intensity calculated by the highlight intensity calculation means; and

image display means for displaying an image obtained by performing semitransparent composition of said image representing the highlight onto said image representing said object by said semitransparent composition means.

2. (original): The image processing device according to claim 1, wherein  
said highlight position calculation means calculates the position of the highlight based on said viewpoint position and said viewing direction.

3. (original): The image processing device according to claim 1, wherein  
said highlight position calculation means calculates the position of the highlight based on said viewpoint position and said light source position.

4. (original): The image processing device according to any of claims 1-3, wherein  
said highlight intensity calculation means calculates the intensity of the highlight based  
on said viewing direction and the direction connecting two of said light source position, said  
viewpoint position, and said highlight position.

5. (currently amended): An image processing method for displaying an image  
representing an object arranged in a virtual three-dimensional space, comprising:

a light source position acquisition step for acquiring a light source position set in said  
virtual three-dimensional space;

a viewpoint position and viewing direction acquisition step for acquiring a viewpoint  
position and a viewing direction set in said virtual three-dimensional space;

a highlight position calculation step for calculating a position of an image representing a  
highlight appearing on a surface of said object based on said viewpoint position;

a highlight intensity calculation step for calculating intensity of the highlight based on  
said light source position and said viewing direction;

a semitransparent composition step for performing semitransparent composition of said  
image representing the highlight onto said image representing said object based on the position  
calculated at said highlight position calculation step and a semitransparent composition rate  
corresponding to the intensity calculated at said highlight intensity calculation step; and

an image display step for displaying an image obtained by performing semitransparent  
composition of said image representing the highlight onto said image representing said object at  
said semitransparent composition step.

6. (currently amended): An information storage medium for storing a program for  
causing a computer to function as:

light source position acquisition means for acquiring a light source position set in a  
virtual three-dimensional space;

viewpoint position and viewing direction acquisition means for acquiring a viewpoint  
position and a viewing direction set in said virtual three-dimensional space;

highlight position calculation means for calculating a position of an image representing a highlight appearing on a surface of an object arranged in said virtual three-dimensional space based on said viewpoint position;

highlight intensity calculation means for calculating intensity of the highlight based on said light source position and said viewing direction;

semitransparent composition means for performing semitransparent composition of said image representing the highlight onto said image representing said object based on the position

calculated by said highlight position calculation means and a semitransparent composition rate corresponding to the intensity calculated by said highlight intensity calculation means; and

image display means for displaying an image obtained by performing semitransparent composition of said image representing the highlight onto said image representing said object by said semitransparent composition means.